


◇ 1 2 3 4 5 6 7 8

◇ 1700-0017 XBAMS-0017 ON OMO

SIZE	P	L <sub>1</sub>	L <sub>2</sub>	H	W	D	Q, TY
13 Su	10	78	70	50	100	33	
20 Su	15	90	80	54	100	38	
25 Su	20	97	85	64	130	47	


A




B

SPEC.		TEST PRESS.	
FLUID		SHELL	HYDRO 3.5 MPa
PRESS.	MAX MPa	SEAT	AIR 0.6 MPa
TEMP.	MAX °C	AIR	MPa

C



A部詳細図



D

\*MODIFIED P.T.F.E.

15	LOOSE STOPPER	2	SUS 304CSP	
14	RUBBER PACKING	2	SYNTHETIC RUBBER (HNBR)	
13	RATCHET NUT	2	SCS 13	
12	HEXAGON NUT	1	SUS 304	
11	SPRING WASHER	1	SUS 304	
10	HANDLE	1	SUS 304	
9	THRUST BEARING	1	P.T.F.E.	CARBON FILLED
8	THRUST PACKING	1	P.T.F.E.	CARBON FILLED
7	GASKET PACKING	2	P.T.F.E.	
6	BALL SEAT	2	P.T.F.E.	*
5	GLAND	1	SUS 316	
4	STEM	1	SUS 316	
3	BALL DISC	1	SCS 13A	13Su-SUS 304
2	BODY CAP	2	SCS 13	
1	BODY	1	SCS 13	

E

No.	NAME OF PARTS	Q.TY	MATERIALS	REMARKS
NAME NICE JOINT ENDS REDUCED BORE MINI BALL VALVES				
TYPE NJX-310		SIZE	13~25Su	
DMG.No. XBAMS-0017◇		DATE	MAR. 14. 2023.	
THIRD ANGLE PROJECTION METHOD		SCALE		
APPROVED	CHECKED	DESIGNED	DRAWN	

F

△		
△		
△		

<b>O. N. INDUSTRIES LTD.</b>			